



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁶ : A61K 39/17</p>	<p>A1</p>	<p>(11) International Publication Number: WO 98/26800</p> <p>(43) International Publication Date: 25 June 1998 (25.06.98)</p>
<p>(21) International Application Number: PCT/EP97/07066</p> <p>(22) International Filing Date: 16 December 1997 (16.12.97)</p> <p>(30) Priority Data: 96203572.1 17 December 1996 (17.12.96) EP (34) Countries for which the regional or international application was filed: AT et al.</p> <p>(71) Applicant (for all designated States except US): DIMMINACO AG [CH/CH]; Zurichstrasse 12, CH-8134 Adliswil (CH).</p> <p>(72) Inventor; and (75) Inventor/Applicant (for US only): DAVELAAR, Frans, Gerrit [NL/NL]; Harderwijkstraat 85, NL-3881 EG Putten (NL).</p> <p>(74) Agents: WILEMAN, David, Francis; Wyeth Laboratories, Huntercombe Lane South, Taplow, Maidenhead, Berkshire SL6 0PH (GB) et al.</p>	<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	
<p>(54) Title: IN OVO VACCINATION AGAINST NEWCASTLE DISEASE</p> <p>(57) Abstract</p> <p>The present invention is concerned with a vaccine for <i>in ovo</i> vaccination of poultry against Newcastle Disease Infections. This vaccine contains Newcastle Disease Viruses of the strain with the internal indication NDW, deposited at CNCM (Institut Pasteur) under number I-781.</p>		

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

BEST AVAILABLE COPY

IN OVO VACCINATION AGAINST NEWCASTLE DISEASE

5 The present invention is concerned with a vaccine suitable for *in ovo* vaccination against Newcastle Disease infection, with the use of a Newcastle Disease Virus strain in the preparation of such a vaccine, as well as with the protection of poultry against Newcastle Disease infection by *in ovo* vaccination with a vaccine containing a Newcastle Disease virus train.

10 In ovo vaccination of virus-containing vaccines was extensively described by Sharma et al. (US Patent No 4458630). In particular it teaches that live Marek's disease virus can be injected into amniotic fluid within the egg, whereafter the embryo is infected and the vaccine virus replicates to a high titer which induces the formation of protective antibodies in the treated embryo. (Sharma; Avian Diseases 29, 1155, 1167-
15 68 (1985).

In US Patent No 5427791 Ahmad et al. describe the embryonal vaccination against Newcastle Disease. Herein, in order to provide for a non-pathogenic attenuation of the live Newcastle Disease virus (strain NDV-B1), the viruses were modified through
20 use of ethyl methane sulfonate (EMS).

A disadvantage of this type of modification is the fact that EMS is a mutagen and that the vaccine is suspected to act as a mutagen as well, which is undesirable for regular administration of the vaccine. On the other hand, untreated NDV-B1 cannot be applied
25 for *in ovo* vaccination as almost all of the embryos will die upon injection of the eggs with this unmodified virus.

Furthermore, it has been found that the margin between minimum effective dose and the maximum dose for safety for these modified viruses is less than 10 (hence less
30 than log1). For practical purposes and in view of the errors as a result of production and due to losses during storage, this margin is too small.

Surprisingly it has been found that a vaccine preparation containing Newcastle Disease viruses of the strain NDW is particularly suited for *in ovo* application. Hence
35 the present invention is concerned with the use of Newcastle Disease virus of the strain NDW in the *in ovo* vaccination of poultry. As a further embodiment the invention is concerned with the use of Newcastle Disease virus of the strain NDW in the preparation of a vaccine suitable for *in ovo* administration poultry.

Samples of the Newcastle Disease virus strain NDW were deposited at CNCM of Institut Pasteur under No 781. See EP 351908.

- 5 Advantageously, the NDW strain is administered in an amount of between 10^{-1} and 10^3 and more in particular in an amount between $10^{-0.7}$ and $10^{2.2}$ per egg.

- For obtaining the best results in immunisation it was found that the NDW containing vaccine can be administered *in ovo* at between 17 and 19 days of incubation,
10 preferably at 18 days of incubation.

Example 1

Preparation of NDW vaccine for *in ovo* administration

- 15 A Working Seed Virus stock was prepared from a Master Seed Virus (deposited at CNCM, Institut Pasteur under No I-781) by inoculation into the allantoic cavity of embryonated SPF chicken eggs.

- In the same way the vaccine is produced by inoculation of Working Seed Virus into the
20 allantoic cavity of embryonated SPF eggs. After incubation the allantoic fluid containing the vaccine virus is harvested. The allantoic fluid is diluted and frozen and stored at -50°C .

- Before filling the allantoic fluid is thawed, further diluted until the required
25 concentration of vaccine virus, mixed with stabiliser, filled into vials and freeze-dried.

Example 2

The Safety of the *in ovo* NDW vaccine in SPF eggs.

- 30 SPF eggs were vaccinated at 18 days of incubation in the amnion by the method described by Sharma and Burmester (Avian Diseases 26 (1), 134-149) with the vaccine described in Example 1.

- 35 Six groups of eggs were vaccinated according to the scheme outlined in the following Table.

Table 1: Safety of *in ovo* vaccination of SPF eggs with NDW vaccine

Group	Vaccine dose (in EID ₅₀)	Number of Eggs	Percentage hatch
1	10 ^{2.2}	25	76
2	10 ^{1.2}	25	84
3	10 ^{0.2}	25	84
4	10 ^{-0.8}	25	88
5	10 ^{-1.8}	25	92
6	controls	25	96

5

Conclusion: In ovo vaccination of SPF eggs at 18 days of embryonal development with NDV vaccine is safe with a maximum dose of between 10^{1.2} and 10^{2.2} EID₅₀ per egg.

10

Example 3

The safety of the *in ovo* NDW vaccine in commercial broiler eggs with maternal antibodies.

15

Commercial broiler eggs having maternal antibodies were vaccinated at 18 days of incubation in the amnion by the method described by Sharma and Burmester (Avian Diseases 26 (1), 134-149) with the vaccine described in Example 1.

Eight groups of eggs were vaccinated according to the scheme outlined in the following Table.

Table 2: Safety of *in ovo* vaccination of commercial broiler eggs with NDW vaccine

Group	Vaccine dose (in EID ₅₀)	Number of Eggs	Percentage hatch
1	10 ⁶	50	68
2	10 ⁵	50	70
3	10 ⁴	50	74
4	10 ³	50	76
5	10 ²	50	91
6	10 ¹	50	84
7	10 ⁰	50	96
8	controls	50	88

Conclusion: *In ovo* vaccination of broiler eggs with maternal antibodies is safe (no effect on hatching) up to a dose of at least 10² EID₅₀ per egg.

Example 4

Efficacy of *in ovo* vaccination of SPF eggs with NDV vaccine

- 10 The efficacy of NDV vaccine prepared according to Example 1 was examined in SPF eggs.

Parameters for the protection were the antibody response after vaccination (haemagglutination inhibition test = HI test) and percentage of mortality after challenge.

- 15 The challenge virus was the strain Hertz 33/56 of Newcastle Disease Virus, with was administered to each of the chickens in an amount of 10^{5.0} EID₅₀.

Five groups of eggs were vaccinated according to the scheme outlined in the table below:

20 **Table 3: Efficacy of *in ovo* vaccination of SPF eggs.**

Group	Vaccine Dose (in EID ₅₀)	HI titer (in 2log) at weeks		Percentage mortality after challenge at 4 weeks
		4	6	
1	10 ^{1.7}	4.6	nd	0
2	10 ^{1.0}	5.1	5.7	0
3	10 ^{0.0}	3.6	3.3	0
4	10 ^{-0.7}	3.3	3.2	11
5	control	1.0	1.0	100

Conclusion: In ovo vaccination of SPF eggs at 18 days of embryonal development with NDV vaccine is effective. A vaccine dose of about $10^{-0.7}$ per egg is the minimal effective dose for *in ovo* NDV vaccination.

5

Example 5

Efficacy of *in ovo* vaccination with NDV vaccine of commercial broiler eggs with maternal antibodies.

- 10 The efficacy of the NDV vaccine prepared according to Example 1 was examined in commercial broiler eggs with maternal antibodies (HI titer of 5.1 at one day of age).

- Parameters for the protection were the antibody response after vaccination (HI test) and percentage of mortality after challenge. The challenge virus was the strain Hertz 33/56
15 of Newcastle Disease Virus, which was administered to each of the chickens in an amount of $10^{5.0}$ EID₅₀.

Three groups of eggs were vaccinated according to the scheme outlined in the table below:

20

Table 4: Efficacy of *in ovo* vaccination in commercial broiler eggs

Group	Vaccine Dose (in EID ₅₀)	HI titer (in ² log) at 3 weeks of age	Percentage of mortality after challenge at 3 weeks of age
1	10^2	3.9	0
2	10^{-1}	2.4	0
3	control	1.0	100

- 25 **Conclusion:** In ovo vaccination with NDV vaccine of commercial broiler eggs at 18 days of embryonal development is effective. This is not influenced by the presence of maternal antibodies.

CLAIMS:

1. A vaccine for *in ovo* vaccination of poultry against Newcastle Disease infections, characterised in that it comprises a virus having the characteristics of the strain NDW, an example of which is deposited at CNCM (Institut Pasteur) under number I-781.
2. A vaccine according to Claim 1 characterised in that the viruses of strain NDW are administered in an amount of between 10^{-1} and 10^3 EID₅₀ per egg.
3. A vaccine according to Claim 1 characterised in that the viruses of strain NDW are administered in an amount of between $10^{-0.7}$ and $10^{2.2}$ EID₅₀ per egg.
4. A vaccine according to Claim 1 characterised in that the viruses of strain NDW are administered *in ovo* at between 17 and 19 days of incubation.
5. A vaccine according to Claim 1 characterised in that the viruses of strain NDW are administered *in ovo* at 18 days of incubation.
6. Use of a Newcastle Disease Virus strain NDW, deposited at CNCM (Institut Pasteur) under number I-781, in the preparation of a vaccine suitable for *in ovo* vaccination.
7. A use according to Claim 6, characterised in that the viruses of strain NDW are present in an amount of between 10^{-1} and 10^3 per egg.
8. Use according to Claim 6, characterised in that the viruses of strain NDW are present in an amount of between $10^{-0.7}$ and $10^{2.2}$ per egg.
9. A method for preventing or treating Newcastle Disease infections in poultry comprising *in ovo* administration of a vaccine comprising a virus having the characteristics of the strain NDW an example of which is deposited at CNCM (Institut Pasteur) under number I-781.

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/EP 97/07066

BEST AVAILABLE COPY

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61K39/17

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 351 908 A (DUPHAR INT RES) 24 January 1990 ---	
A	DATABASE BIOSIS BIOSCIENCES INFORMATION SERVICE, PHILADELPHIA, PA, US Abstract no. 91:501771, VAN ECK J H H ET AL: "AN ULSTER 2C STRAIN-DERIVED NEWCASTLE DISEASE VACCINE VACCINAL REACTION IN COMPARISON WITH OTHER LENTOGENIC NEWCASTLE DISEASE VACCINES." XP002031012 see abstract & AVIAN PATHOL 20 (3). 1991. 497-508. CODEN: AVPADN ISSN: 0307-9457, --- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

8 May 1998

Date of mailing of the international search report

20.05.1998

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Sitch, W

INTERNATIONAL SEARCH REPORT

Int'l Application No
PCT/EP 97/07066

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>DATABASE BIOSIS BIOSCIENCES INFORMATION SERVICE, PHILADELPHIA, PA, US Abstract no. 91:501770, VAN ECK J H H ET AL: "AN ULSTER 2C STRAIN-DERIVED NEWCASTLE DISEASE VACCINE EFFICACY AND EXCRETION IN MATERNALLY IMMUNE CHICKENS." XP002031013 see abstract & AVIAN PATHOL 20 (3). 1991. 481-496. CODEN: AVPADN ISSN: 0307-9457, ---</p>	
A	<p>US 5 427 791 A (AHMAD JAMIL ET AL) 27 June 1995 cited in the application -----</p>	

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 97/07066**Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)**

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

Although claim 9 is directed to a method of treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 97/07066

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0351988 A	24-01-1990	AT 112490 T	15-10-1994
		DE 68918649 D	10-11-1994
		DE 68918649 T	23-03-1995
		DK 347189 A	19-01-1990
		ES 2060740 T	01-12-1994
		IE 65736 B	15-11-1995
		JP 2069422 A	08-03-1990
		JP 2655726 B	24-09-1997
		US 5149530 A	22-09-1992

US 5427791 A	27-06-1995	NONE	
